



FLORIDA DEPARTMENT OF HEALTH IN BREVARD COUNTY
 Environmental Public Health Services
 2725 Judge Fran Jamieson Way, Suite A116
 Viera, Florida 32940-6605
 PHONE: 321/633-2100
www.BrevardEH.com

**Wells regulated
 under DOH are
 required to sample
 for the following:**
 Bacteriological
 Lead
 Nitrate

LIST OF WATER SAMPLING COMPANIES

Below is a list of companies that will provide well water sampling services.
 All sample results can be emailed to Brevard.WellApp@flhealth.gov.

All-Tech Water Company 5800 S. US Highway 1 Grant, FL 32949 (321)984-9122 FAX: (321) 984-0783 awc7205@bellsouth.net	Aquatest Services Inc 597 Chippewa St NE Palm Bay, FL 32907 (321)728-5789 FAX: (321) 723-1205 vjames@aquatestservices.com
Advanced Water Engineering, Inc P.O. Box 373214 Indian Harbour Beach, FL 32937 (321)777-4909 FAX: (321) 773-8338 www.advancedwater.com info@advancedwater.com	Watershed Labs 304 S Spring Garden Ave Deland, FL 32720 (386)736-3397 (800)636-9588 FAX: (386) 734-2554 www.watershedlab.com watershedlab@aol.com
Burleson Water Services, LLC 601 Lake Como Circle Orlando, FL 32803 (321)460-0211 (407)435-4611 FAX: (407) 228-9782 www.burlesonwaterservices.com	Test America 4310 E. Anderson Road Orlando, FL 32812 (407)851-2560 FAX: (407) 856-0886 www.testamericainc.com
Culligan by GW Pumps & Purification 424 South Babcock Street Melbourne, FL 32901 321-779-2837 mquickery@culliganflorida.com	C & M Water Service P.O. Box 509 Roseland, FL 32957 (772)589-5180 FAX: (772) 589-0278 cmwat88@comcast.net

If you would like to collect your bacteriological sample yourself,
 please contact one of the Department of Health locations below for sample bags.

DOH-Brevard County Environmental Public Health Services 2725 Judge Fran Jamieson Way, A-116 Viera, FL 32940 321-633-2100 Brevard.WellApp@flhealth.gov <i>**Only bacteriological samples accepted Our lab cannot process Lead & Nitrate</i>	DOH – Indian River Environmental Health Division 1900 27 th Street Vero Beach, FL 32960 772-794-7440 zzzzfb_chd31eh@flhealth.gov
---	---